




10/612957

COFC



Docket No.: 239592US2RD DIV

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

ATTORNEYS AT LAW

RE: Inventor: Shunichi NUMAZAKI, et al.

Patent No.: 7,042,490

Issued: May 9, 2006

Group Art Unit: 2613

Examiner: DIEP, Nhon

For: IMAGE CAPTURE MODULE AND IMAGE
CAPTURE APPARATUS FOR INPUTTING SHAPE
OF OBJECT ON THREE-DIMENSIONAL SPACE

Certificate
JUN 12 2006
of Correction

SIR:

Attached hereto for filing are the following papers:

REQUEST FOR CERTIFICATE OF CORRECTION
CERTIFICATE OF CORRECTION FORM PTO 1050

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.


Marvin J. Spivak

Registration No. 24,913

Joseph Scafetta, Jr.


Registration No. 26,803

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/06)

JUN 12 2006



SOCKET NO.: 239592US2RD DIV/amr

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

INVENTOR APPLICATION OF: Shunichi NUMAZAKI, et al.

PATENT NO.: 7,042,490

GROUP: 2613

ISSUED: May 9, 2006

EXAMINER: DIEP, Nhon

FOR: IMAGE CAPTURE MODULE AND IMAGE CAPTURE APPARATUS FOR
INPUTTING SHAPE OF OBJECT ON THREE-DIMENSIONAL SPACE

REQUEST FOR CERTIFICATE OF CORRECTION

DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE
ALEXANDRIA, VA 22313-1450

SIR:


The following is a Request for Certificate of Correction in Serial Number 10/612,957,
now U.S. Patent Number 7,042,490.

In accordance with the provisions of Rule 322 of the Rules of Practice, which
implement 35 USC 254, the U.S. Patent and Trademark Office is respectfully requested to
issue a Certificate of Correction in the above-identified patent.

In light of the fact that the errors were the fault of the U.S. Patent and Trademark
Office, no fees are required. The requested corrections are listed on FORM P.T.O. 1050.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.


Marvin J. Spivak

Registration No. 24,913

Joseph Scafetta, Jr.
Registration No. 26,803

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/06)

JUN 08 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : **7,042,490**
DATED: **May 9, 2006**
INVENTOR(S): **Numazaki et al.**

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, the Terminal Disclaimer information has been omitted. Item (45) and the Notice information should read:

-- (45) **Date of Patent: * May 9, 2006**

[*] Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 74 days.

This patent is subject to a terminal disclaimer. --

Mailing address of sender:

Patent No. 7,042,490

Customer Number
22850

No. of add'l copies
@ .30 per page

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/06)



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,042,490
DATED: May 9, 2006
INVENTOR(S): Numazaki et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, the Terminal Disclaimer information has been omitted. Item (45) and the Notice information should read:

-- (45) **Date of Patent: * May 9, 2006**

[*] Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 74 days.

This patent is subject to a terminal disclaimer. --

Mailing address of sender:

Patent No. 7,042,490

Customer Number
22850

No. of add'l copies
@ .30 per page

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/06)



JUN 12 2006